



2020 Annual Report City of Loveland Mosquito Control Program



Vector Disease Control International
318 N. Garfield Ave Loveland, CO 80537
Phone 970-278-9977 Fax 866-929-1204
Website: www.vdci.net/Colorado

**City of Loveland
Mosquito Management Operations**

Annual Report For 2020

Table of Contents

	Page
PROGRAM OBJECTIVES	3
VDCI'S COMMITMENT	3
2020 SEASON PERSPECTIVE CLIMATE COMPARISON DATA	4
WEST NILE VIRUS SEASON WNV ACTIVITY BY STATE (CDC 2020 HUMAN CASE MAP) NEUROINVASIVE INCIDENCE BY STATE (CDC 2020 HUMAN CASE MAP) COLORADO WNV DATA (CDPHE 2020 HUMAN CASE REPORTS)	5
LARVAL MOSQUITO CONTROL LARVAL SITE INSPECTIONS & TREATMENTS IN LOVELAND LARVAL ACREAGE TREATMENTS IN LOVELAND LARVICIDE PRODUCT APPLICATION BY TYPE	8
VDCI SURVEILLANCE LABORATORY CDC SURVEILLANCE LIGHT TRAP DATA ADULT MOSQUITO LIGHT TRAP GENUS SUMMARY 2020 CSU WEST NILE VIRUS MOSQUITO SAMPLING RESULTS – LARIMER COUNTY	9
ADULT MOSQUITO CONTROL SEASON DETAILS ADULT MOSQUITO CONTROL APPLICATION REPORT FOR LOVELAND 2020	12
PUBLIC RELATIONS AND EDUCATION MOSQUITO LINE CALLS FOR LOVELAND	13
APPENDIX 1. LOVELAND INDIVIDUAL LIGHT TRAP SUMMARIES 2020 2. LARIMER COUNTY ADULT SAMPLE POOL POSITIVE RESULTS AND LOCATIONS 3. GROUND ADULT MOSQUITO CONTROL APPLICATION DATA 2020	15

Program Objectives

Vector Disease Control International, LLC (VDCI) completed its 34th year of cost-effective Integrated Mosquito Management (IMM) for the City of Loveland in 2020. The primary objective of Loveland's IMM Program is to monitor and reduce mosquito populations through the use of specific, environmentally sound, control techniques in order to protect its residents from the threat of mosquito-borne diseases. VDCI prioritizes the detection and elimination of larval mosquitoes in aquatic habitats, in conjunction with the monitoring of adult mosquito populations through routine surveillance, in order to assess West Nile virus vector species abundance in the area.

Open communication is maintained by VDCI between the HOA Residents, Property Management Companies, the Weld and Larimer County Departments of Health & Environment and surrounding municipalities to ensure that the highest level of mosquito control and epizootic response is achieved. This diligent and cooperative communication is important to the Loveland mosquito management program and provides significant benefit to public health throughout the entire area.


VDCI's Commitment

Vector Disease Control International is a company built on the foundations of public health, ethics, professionalism, and technical expertise. VDCI is committed to providing our customers with scientifically based, environmentally sensitive and technologically advanced Integrated Mosquito Management (IMM) programs of the highest quality. All of our employees are committed to excellence in vector control and public health and strive to improve the quality of human life in communities through public education and the control of mosquitoes and the diseases they can transmit. VDCI currently has programs across the state of Colorado, providing services for towns, cities, counties, homeowners associations, and encephalitis surveillance monitoring programs for county health departments.


Vector Disease Control International, as the contractor for Loveland, will continue to use proven scientific Integrated Mosquito Management techniques to survey and control local mosquito populations using biorational larval controls and limited low-toxicity insecticide applications. All of the methods and materials used have been reviewed and registered by the US Environmental Protection Agency, the Centers for Disease Control, the Colorado Department of Agriculture and the American Mosquito Control Association.

2020 Season Perspective

At VDCI we have come to expect each Colorado summer to present a unique set of temperature, precipitation, irrigation, and human interactions that combine to create new and different challenges in both mosquito control and mosquito-borne disease proliferation. Precipitation in Northern Colorado was below average with some areas seeing -3 to -4.5 inches less than usual. Due to the dry season, and less aquatic habitats for mosquitoes to lay their eggs, adult mosquito abundance remained relatively low in 2020.



Temperatures throughout Northern Colorado seem to increase every summer and 2020 was no different. The 2020 season was hot and dry, with Larimer and Weld counties each tallying over 60 days of 90+ degree highs. However, as September approached, the nightly lows began to dip into the 50s and even 40s, which greatly reduces both the mosquito life cycle and adult mosquito activity. On September 8th the first snow of the season came much earlier than usual in Northern Colorado. Along with the snow, sub-freezing temperatures do kill off adult mosquito populations. However, some overwintering species, such as those in the genera *Culex* can and do move indoors in anticipation for the winter.




West Nile Virus Season

Since the introduction of West Nile virus to the United States in 1999, the virus has made a complete westward expansion to the West Coast. Starting in the Northeastern parts of the United States, the virus steadily spread through the South, the Midwest, the Rocky Mountain region, and to the Western States. This extensive distribution is due to the ability of WNV to establish and persist in the wide variety of ecosystems present across the country. WNV has been detected in 65 different mosquito species in the U.S., though it appears that only a few *Culex* species drive epizootic and epidemic transmission (WNV Guidelines, CDC 2013). Although West Nile virus has been endemic to the United States since 1999, researchers continue to seek an understanding for some of the factors which contribute to region specific spikes in vector abundance and human risk. We still do not understand why some humans develop West Nile fever while other infections develop into more serious West Nile encephalitis or West Nile meningitis cases. Additionally, physicians and researchers continue to seek answers to the variable recovery times and occurrence of deaths that result with some infections. WNV has expanded to the point that it can now be found in all 48 contiguous states and since its introduction has produced two additional, large nationwide epidemics in 2003 and 2012 (WNV Guidelines, CDC 2013).

As of September 9th, 2020, a total of 36 states and the District of Columbia have reported West Nile virus infections in people, birds, or mosquitoes. Overall, 81 cases of West Nile virus disease in people have been reported to CDC. Of these, 62 (77%) were classified as neuroinvasive disease (such as meningitis or encephalitis) and 19 (23%) were classified as non-neuroinvasive disease.

West Nile Virus Activity by State – United States, 2020 (as of September 9, 2020)



West Nile Virus Neuroinvasive Disease Incidence by State – United States, 2020 (as of September 9, 2020)



Colorado 2020

As of September 15th, 2020 The Colorado Department of Health and Environment reports a total of 14 human cases of West Nile virus infection from the state of Colorado. In Northern Colorado, 3 human cases are reported from Larimer County, and 1 from Boulder County. While we have passed the historical peak of WNV risk these numbers are expected to rise as there is often a delay in onset of symptoms, diagnosis and reporting. Please note that the additional cases reported by CDPHE will also be reported to the Centers for Disease Control.

Five Counties across the state of Colorado have reported human West Nile virus infection. These include Boulder, Delta, Denver, Jefferson, and Larimer.


Human Cases: 14

Deaths: 0


Neuroinvasive Cases: 3

Hospitalized Cases: 4

Human West Nile virus cases in Colorado, 2020



Human West Nile virus cases per 1000 population by county of residence, 2020



Please note that this map represents case count by population and not raw cases per county.

Larval Mosquito Control

Larval mosquito control is the foundation of the City of Loveland's Mosquito Control program and can be an extremely effective way to manage mosquitoes, thereby reducing the number of potential disease vectors and annoyances associated with biting adults. Years of research and practical experience have shown that the most effective way to control mosquito populations is through an aggressive Integrated Mosquito Management (IMM) approach. This approach aims at using a variety of concepts, tools, and products to reduce a pest population to a tolerable level.

Pre-season larval control work involved ground truthing GIS maps and remapping areas where new development or flooding had altered the landscape. VDCI began larval site inspections in many areas mid-April. Hiring of seasonal field technicians began in March and continued into May. VDCI's Annual Field Technician Classroom Training Day took place on May 18th with special online courses this year due to Covid-19. Field training by VDCI management and veteran employees lasted through May and full-time field activities were in force by mid-June.

In 2020, Vector Disease Control field technicians performed 4,729 larval site inspections, of which 3,638 (76.9%) were wet upon inspection, 1,956 (53.8% of wet sites) were producing mosquito larvae. To prevent these larvae from emerging as adult mosquitoes, VDCI applied 5,811.3 lbs. of VectoBac (Bti) and 527.0 oz of BVA 2 mineral oil to 1,740.8 acres of land.

During 2020, VDCI technicians performed treatments at approximately 1,270 storm drains as part of the City of Loveland's Urban larviciding program to control larval mosquito populations in storm drains and catch basins. Drains that were wet or had the potential to hold water were treated with long term larvicide products including Altosid pellets, briquettes, and VectoLex WSP (Bsph).



Larval mosquito control can be achieved in several ways including biological, biochemical, chemical, and mechanical means. No single larvicide product will work effectively in every habitat where mosquito larvae are found, so a variety of products and methods should be employed. Additionally, although there are a variety of methods for reducing larval populations, some may have negative consequences that outweigh their benefits. Mechanical or physical habitat modification is a technique which VDCI uses on relatively small scale projects, as the area to be modified must be carefully reviewed.

VDCI's favored method of larval mosquito control is through the use of bacterial bio-rational products. The main product used by VDCI is a variety of bacteria (*Bacillus thuringiensis var. israeliensis*). *Bti*, as it is known, has become the cornerstone of mosquito control programs throughout the world. The benefits include its efficacy and lack of environmental impacts.

When used in accordance with its label, successful control of mosquito larvae can be achieved without impact to non-target species such as other aquatic invertebrates, birds, mammals, fish, amphibians, reptiles, or humans. A broad label allows for the use of the product in the majority of the habitats throughout the service area. Another bacterial product closely related to *Bti* is *Bacillus sphaericus* (*Bs*). *Bs* provides similar benefits to *Bti* while also providing residual control of certain species of mosquitoes. It is used specifically in difficult to treat areas where *Culex* are the predominant species due to its limitations and high cost.

Other larval control products include the insect growth regulator methoprene (Altosid), and light mineral oils (BVA 2 larvicide oil). Methoprene is a synthetic version of a juvenile growth hormone in larval mosquitoes. The hormone prevents the normal development of larval mosquitoes into pupae and adults, eventually causing death. VDCI limits the use of chemical larvicides to areas with little biodiversity, such as road side ditches, or areas that chronically produce high mosquito populations. They are only used after a thorough assessment has been made of any habitat where their use is being considered. Mineral oil is the only product effective in controlling mosquito pupae and therefore is an essential tool when pupae are present.

VDCI Surveillance Laboratory

Information about mosquito abundance and species diversity is essential to integrated program. Vector Disease Control International utilizes two kinds of traps to monitor mosquito



populations. The most commonly used is the CDC light trap which uses carbon-dioxide from dry ice as bait to attract female mosquitoes seeking a blood meal from a breathing animal. Once attracted by the CO₂, the mosquitoes are lured by a small light to a fan that pulls them into a net for collection. The second type of trap VDCI uses is called a gravid trap. Gravid traps use a tub of highly-organic water as bait to attract female mosquitoes that are looking for a place to lay their eggs. A fan placed close to the water surface forces mosquitoes that come to the water into a collection net. Once back in the laboratory, the contents of the trap nets are counted and speciated by trained technicians.

In 2020, Vector Disease Control International monitored a statewide network of hundreds of weekly trap sites, collecting adult mosquitoes that were counted and identified to species by the VDCI Surveillance Laboratories. While individual traps provide only limited information, trap data is interpreted in the context of historical records for the same trap site, going back in time more than a decade. Individual traps are also compared to other traps from around the region that were set on the same night and therefore exposed to similar weather

conditions. Technicians working in the Surveillance Laboratories at Vector Disease Control International are trained to provide accurate species-level identification of both larval and adult mosquitoes.

Additionally, the VDCI Surveillance Laboratory conducts an intensive larval identification program with larval mosquito samples collected by I&L technicians prior to larviciding being identified to species. This information is now invaluable in targeting mosquito control efforts as we gain a greater understanding of the habitat types preferred by Colorado mosquito species and the seasonality of these habitats as sites for mosquito development.

Specimens and data collected from these traps and larval identification are used in:

-  Determining the effect of larval control efforts. Each mosquito species prefers specific kinds of habitats for larval development. If a trap includes large numbers, it could indicate the presence of an unknown larval habitat and, based on the species identification and known habitat preference for that species, direct field technicians as to possible sources of the mosquitoes collected.
-  Determining larval and adult mosquito species. This helps to illustrate the threat of mosquito-borne disease amplification and transmission because different mosquito species can vector different diseases to people and animals.
-  Determining where adult control efforts were necessary. While mosquito eradication is impossible, significant population reduction is achievable. In places where larval control is insufficient, such as neighborhoods where adult mosquitoes have migrated in from outside of the control area, it may be necessary to use adulticide methods, such as ULV truck fogging or barrier sprays of harborage areas. Trap counts that exceed an acceptable threshold for an area may trigger adult control measures.
-  Surveillance for Mosquito-borne Disease. Historically, VDCI efforts were targeted primarily at controlling mosquito nuisance problems with limited disease surveillance. However, since the arrival of the West Nile virus in Colorado in August of 2002, the paradigm has shifted toward disease prevention and control. Accurate species identification of the mosquitoes in the traps is important when monitoring species population trends. It also is necessary for evaluating whether a population spike represents an actual increase in disease transmission potential or only an increased nuisance level.

SURVEILLANCE LIGHT TRAP DATA



In 2020, there were 536 CDC light surveillance traps set within Loveland, which collected a total of 19,174 mosquitoes. This year there was an average of 35.8 mosquitoes caught per trap per night and an average 16.6 *Culex* mosquitoes per trap per night. The composition of mosquitoes collected was 46.4% (8,904) *Culex spp.*, 48.6% (9,312) *Aedes/Ochlerotatus spp.*, 3.1% (590) *Anopheles spp.*, and 1.7% (324) *Culiseta spp.*

2020 Loveland Trap Composite Data

Total number of trap/nights set: 536
Total number of mosquitoes collected: 19,174.0
Average mosquitoes per trap/night: 35.8
Average Culex per trap/night: 16.6

Species collected and abundance:


<i>Aedes dorsalis</i>	476.0	2.5%
<i>Aedes fitchii</i>	1.0	0.0%
<i>Aedes hendersoni</i>	1.0	0.0%
<i>Aedes increpitus</i>	1,520.0	7.9%
<i>Aedes melanimon</i>	90.0	0.5%
<i>Aedes nigromaculis</i>	2.0	0.0%
<i>Aedes spp.</i>	16.0	0.1%
<i>Aedes trivittatus</i>	8.0	0.0%
<i>Aedes vexans</i>	7,198.0	37.5%
<i>Anopheles earlei</i>	2.0	0.0%
<i>Anopheles freeborni</i>	588.0	3.1%
<i>Coquillettidia perturbans</i>	44.0	0.2%
<i>Culex pipiens</i>	1,154.0	6.0%
<i>Culex tarsalis</i>	7,750.0	40.4%
<i>Culiseta inornata</i>	324.0	1.7%



Adult Mosquito Surveillance Summary

Start Date: 05/01/2020 End Date: 09/09/2020

Loveland



Vector Disease Control International
 7000 N. Broadway, Suite 108
 Denver, CO 80221

CSU WEST NILE VIRUS MOSQUITO SAMPLE TESTING RESULTS - LARIMER COUNTY

Many local health departments have moved towards mosquito-based surveillance indicators to assess the weekly risk of West Nile transmission and guide response decisions for adult mosquito control applications. The vector index and infection rate is derived by testing the mosquitoes VDCI collects for the presence of West Nile virus. This value is closely monitored by the CDPHE and local health departments to evaluate the risk posed by the vector mosquito population.

As defined in the CDC guidelines for West Nile virus surveillance, prevention and control, the vector index (VI) is an estimate of the number of West Nile virus infected mosquitoes in an area. This number can serve as a human health risk value. An operational value of 0.5, which was derived from the comparison of historical data for human infections, as well as relative abundance and infection in mosquitoes, serves as an indicator of high risk for West Nile virus transmission to humans in the corresponding area. As the value of the vector index increases there is a corresponding risk of human disease and this value can be used to offset epidemics.

As stated on the CDPHE website, the seasonal variation of West Nile virus risk can change throughout a summer and it is best to assume you have some risk for WNV if you have mosquitoes.

As of Sept 14th, 2020 Colorado State University's Department of Microbiology, Immunology and Pathology, has tested a total of 1,219 mosquito pools from Larimer County. A total of 37 mosquito pool samples have tested positive for WNV with 1 of those being collected from Berthoud, 3 from Loveland and 33 from the Fort Collins. One additional positive was collected in Berthoud, however the sample was collected in Weld county rather than Larimer. Testing of these mosquitoes for West Nile virus is paid for by the City of Fort Collins, Berthoud, and Loveland. It's important to note that the large number of WNV positive sample pools reported from Fort Collins is highly correlated with the fact they test all mosquitoes with the potential for transmitting disease versus just a subset of the population.

ADULT MOSQUITO CONTROL

The goal of Vector Disease Control International is to provide our customers with the best options for safe, effective, modern mosquito management. The primary emphasis of the Loveland Mosquito Management Program is to control mosquitoes in the larval stage, using safe biological control products. VDCI uses EPA and CDC approved adulticides to reduce mosquito populations. During the 2020 season a total of 538.2 miles of roads and access paths within Loveland were fogged using AquaKontrol3030.

Please see Appendix 3 for Ground Adulticide Application Data

VDCI uses state of the art technology, calibrated application timing, and least-toxic products to minimize non-target impacts. All adult mosquito control is accomplished using Ultra Low Volume (ULV) fogging equipment and performed after dusk when the majority of mosquito species are most active. This type of equipment produces droplets averaging 12 microns in diameter and allows for a minimal amount of product to be put into the environment. These treatments take place in the evening when mosquitoes are flying in greater numbers and non-target insect activity (for example, day-flying pollinators like bees) is greatly reduced. Using this application technique, the overall goal of minimal environmental impact and effective adult control is achieved in the targeted area.

Public Relations and Education

VDCI is dedicated to providing strong Public Outreach and Education Programs to residents in all of our communities. Citizen complaints, inquiry, information and satisfaction surveys can aid in evaluating the effectiveness of a program. VDCI constantly looks for ways to better serve the communities we work with and encourages both the citizen and local media involvement in order to increase the effectiveness of our programs. We have clearly demonstrated that commitment and belief by proactively serving Loveland (and all of our contracted communities) with numerous innovative programs, activities and services.

Customer service is always a high priority for VDCI. We take pride in training each and every technician so that they have the knowledge to provide residents with the correct answers to their questions. Each field technician spends part of their day responding to resident concerns in their work area. This in-field customer service personalizes the mosquito control program, provides VDCI with local information on mosquito activity and presents a valuable opportunity to educate our residents about mosquito biology and control.

MosquitoLine™

VDCI maintains a toll-free telephone line (877-276-4306) and local line to the Northern Colorado Office (970-278-9977) at no cost to the customer. This service can be utilized to accept calls from the public concerning:

- * Information about mosquito biology and source reduction of mosquito habitats
- * information on program components, operations and monitoring
- * Seasonal West Nile virus activity
- * Personal protection options for mosquito annoyances and West Nile virus risk
- * Reports about mosquitoes and possible larval mosquito habitats

- * Requests to perform larvicide applications and/or opt-out of any adulticide spraying via a shut-off list
- * Request notification when adulticide spraying is planned in their neighborhood
- * Request health and safety information about mosquito control operations and pesticide products used

VDCI has provided Mosquito Hotlines to the residents in communities which we are contracted to also reduce workload by municipal personnel. This enables direct communication and response by mosquito control employees to resident's concerns about West Nile virus and larval site activity and treatment. VDCI maintains a log of calls received and will summarize call activity in monthly and annual reports.

VDCI received 24 phone calls or emails from Loveland residents in 2020. VDCI received 2 calls from residents reporting new larval mosquito sites in their area. VDCI inspected all of the reported sites and added new areas if found producing mosquito larvae. VDCI received 8 mosquito annoyance calls from residents of the City of Loveland. VDCI received 2 calls from residents requesting information about the City of Loveland mosquito control program and how decisions are made about adulticiding. VDCI provided the relevant information and directed them to our website for further information about the products used. VDCI received 12 phone calls or emails from residents requesting that their information be added or changed in VDCI's spray notification list so they could be notified of spraying in their area.


CALL NOTIFICATION & SHUTOFF SYSTEM

VDCI continues to maintain a comprehensive Call Notification & Shutoff database and will notify residents on the list when conducting ULV adulticide spray applications within the City of Loveland.

DAILY POSTING OF ULV SPRAY ZONES are maintained and updated online daily at <http://www.vdci.net/colorado>

Appendix 1: Individual Light Trap Summaries LV-004

Season: 05/01/2020 - 09/09/2020
Trap Type: CDC Light Trap
Location: 29th and Madison
GPS: 40.420937653398795, -105.05761396139859
Total number of trap/nights set: 14.0
Total number of mosquitoes collected: 460.0
Average mosquitoes per trap/night: 32.9
Average Culex per trap/night: 23.1




Species collected and abundance:

<i>Aedes dorsalis</i>	5.0	1.1%
<i>Aedes increpitus</i>	2.0	0.4%
<i>Aedes melanimon</i>	5.0	1.1%
<i>Aedes vexans</i>	119.0	25.9%
<i>Coquillettia perturbans</i>	1.0	0.2%
<i>Culex pipiens</i>	7.0	1.5%
<i>Culex tarsalis</i>	317.0	68.9%
<i>Culiseta inornata</i>	4.0	0.9%

Genus Proportions:


Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	131.0	28.5%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	324.0	70.4%
<i>Culiseta</i>	4.0	0.9%
Other	1.0	0.2%



LV-010gr

Season: 05/01/2020 - 09/09/2020
Trap Type: Gravid Trap
Location: Henderl Gravid
GPS: 40.43648928191372, -105.09294502437115

Total number of trap/nights set: 12.0
Total number of mosquitoes collected: 227.0
Average mosquitoes per trap/night: 18.9
Average Culex per trap/night: 18.9



Species collected and abundance:

<i>Culex pipiens</i>	187.0	82.4%
<i>Culex tarsalis</i>	40.0	17.6%

Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	0.0	0.0%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	227.0	100.0%
<i>Culiseta</i>	0.0	0.0%
Other	0.0	0.0%




LV-014

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Estrella Park
 GPS: 40.41397392172346, -105.10880962014198

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 61.0
 Average mosquitoes per trap/night: 4.7
 Average Culex per trap/night: 2.8

Species collected and abundance:

<i>Aedes increpitus</i>	1.0	1.6%
<i>Aedes vexans</i>	18.0	29.5%
<i>Anopheles freeborni</i>	5.0	8.2%
<i>Culex pipiens</i>	3.0	4.9%
<i>Culex tarsalis</i>	34.0	55.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	19.0	31.1%
<i>Anopheles</i>	5.0	8.2%
<i>Culex</i>	37.0	60.7%
<i>Culiseta</i>	0.0	0.0%
Other	0.0	0.0%




LV-019

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Jocelyn and Eagle
 GPS: 40.38845279980604, -105.10761100798845

Total number of trap/nights set: 12.0
 Total number of mosquitoes collected: 245.0
 Average mosquitoes per trap/night: 20.4
 Average Culex per trap/night: 7.3


Species collected and abundance:

<i>Aedes increpitus</i>	9.0	3.7%
<i>Aedes melanimon</i>	2.0	0.8%
<i>Aedes vexans</i>	147.0	60.0%
<i>Culex pipiens</i>	11.0	4.5%
<i>Culex tarsalis</i>	76.0	31.0%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	158.0	64.5%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	87.0	35.5%
<i>Culiseta</i>	0.0	0.0%
Other	0.0	0.0%




LV-020

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Cattail Pond
 GPS: 40.37396362467555, -105.1134904101491

Total number of trap/nights set: 15.0
 Total number of mosquitoes collected: 2,100.0
 Average mosquitoes per trap/night: 140.0
 Average Culex per trap/night: 38.2


Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	46.0	2.2%
<i>Aedes increpitus</i>	52.0	2.5%
<i>Aedes melanimon</i>	21.0	1.0%
<i>Aedes spp.</i>	1.0	0.0%
<i>Aedes vexans</i>	1,261.0	60.0%
<i>Anopheles freeborni</i>	121.0	5.8%
<i>Culex pipiens</i>	21.0	1.0%
<i>Culex tarsalis</i>	552.0	26.3%
<i>Culiseta inornata</i>	25.0	1.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	1,381.0	65.8%
<i>Anopheles</i>	121.0	5.8%
<i>Culex</i>	573.0	27.3%
<i>Culiseta</i>	25.0	1.2%
Other	0.0	0.0%




LV-021

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Linda and 26th
 GPS: 40.366731152020805, -105.08769057691096

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 489.0
 Average mosquitoes per trap/night: 34.9
 Average Culex per trap/night: 9.6


Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	239.0	48.9%
<i>Aedes increpitus</i>	3.0	0.6%
<i>Aedes melanimon</i>	9.0	1.8%
<i>Aedes nigromaculis</i>	1.0	0.2%
<i>Aedes spp.</i>	2.0	0.4%
<i>Aedes vexans</i>	91.0	18.6%
<i>Anopheles freeborni</i>	2.0	0.4%
<i>Culex pipiens</i>	8.0	1.6%
<i>Culex tarsalis</i>	127.0	26.0%
<i>Culiseta inornata</i>	7.0	1.4%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	345.0	70.6%
<i>Anopheles</i>	2.0	0.4%
<i>Culex</i>	135.0	27.6%
<i>Culiseta</i>	7.0	1.4%
Other	0.0	0.0%




LV-042

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 2001 S Douglas
 GPS: 40.37304383537493, -105.09060814976694

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 419.0
 Average mosquitoes per trap/night: 29.9
 Average Culex per trap/night: 19.4


Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	2.0	0.5%
<i>Aedes increpitus</i>	31.0	7.4%
<i>Aedes melanimon</i>	1.0	0.2%
<i>Aedes vexans</i>	100.0	23.9%
<i>Anopheles freeborni</i>	9.0	2.1%
<i>Coquillettidia perturbans</i>	1.0	0.2%
<i>Culex pipiens</i>	14.0	3.3%
<i>Culex tarsalis</i>	257.0	61.3%
<i>Culiseta inornata</i>	4.0	1.0%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	134.0	32.0%
<i>Anopheles</i>	9.0	2.1%
<i>Culex</i>	271.0	64.7%
<i>Culiseta</i>	4.0	1.0%
Other	1.0	0.2%




LV-066

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Outlet Mall Apartments
 GPS: 40.41470629485402, -105.00254116952419

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 907.0
 Average mosquitoes per trap/night: 64.8
 Average Culex per trap/night: 19.0


Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	5.0	0.6%
<i>Aedes increpitus</i>	2.0	0.2%
<i>Aedes melanimon</i>	5.0	0.6%
<i>Aedes vexans</i>	622.0	68.6%
<i>Culex pipiens</i>	7.0	0.8%
<i>Culex tarsalis</i>	259.0	28.6%
<i>Culiseta inornata</i>	7.0	0.8%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	634.0	69.9%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	266.0	29.3%
<i>Culiseta</i>	7.0	0.8%
Other	0.0	0.0%




LV-067

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Del Norte Private Park
 GPS: 40.38041993163244, -105.10577201843262

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 201.0
 Average mosquitoes per trap/night: 15.5
 Average Culex per trap/night: 10.5

Species collected and abundance:

<i>Aedes dorsalis</i>	1.0	0.5%
<i>Aedes increpitus</i>	8.0	4.0%
<i>Aedes melanimon</i>	1.0	0.5%
<i>Aedes spp.</i>	1.0	0.5%
<i>Aedes vexans</i>	48.0	23.9%
<i>Anopheles freeborni</i>	2.0	1.0%
<i>Coquillettidia perturbans</i>	1.0	0.5%
<i>Culex pipiens</i>	5.0	2.5%
<i>Culex tarsalis</i>	131.0	65.2%
<i>Culiseta inornata</i>	3.0	1.5%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	59.0	29.4%
<i>Anopheles</i>	2.0	1.0%
<i>Culex</i>	136.0	67.7%
<i>Culiseta</i>	3.0	1.5%
Other	1.0	0.5%




LV-069

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Horseshoe Peninsula
 GPS: 40.42892434299598, -105.0582208118822

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 609.0
 Average mosquitoes per trap/night: 43.5
 Average Culex per trap/night: 37.6


Species collected and abundance:

<i>Aedes increpitus</i>	5.0	0.8%
<i>Aedes melanimon</i>	5.0	0.8%
<i>Aedes nigromaculis</i>	1.0	0.2%
<i>Aedes vexans</i>	68.0	11.2%
<i>Anopheles freeborni</i>	1.0	0.2%
<i>Culex pipiens</i>	7.0	1.1%
<i>Culex tarsalis</i>	520.0	85.4%
<i>Culiseta inornata</i>	2.0	0.3%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	79.0	13.0%
<i>Anopheles</i>	1.0	0.2%
<i>Culex</i>	527.0	86.5%
<i>Culiseta</i>	2.0	0.3%
Other	0.0	0.0%




LV-074

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Jefferson and 11th
 GPS: 40.404012957902836, -105.07099952548744

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 411.0
 Average mosquitoes per trap/night: 31.6
 Average Culex per trap/night: 23.4


Species collected and abundance:

<i>Aedes dorsalis</i>	2.0	0.5%
<i>Aedes increpitus</i>	26.0	6.3%
<i>Aedes melanmon</i>	1.0	0.2%
<i>Aedes spp.</i>	1.0	0.2%
<i>Aedes trivittatus</i>	1.0	0.2%
<i>Aedes vexans</i>	54.0	13.1%
<i>Anopheles freeborni</i>	13.0	3.2%
<i>Culex pipiens</i>	39.0	9.5%
<i>Culex tarsalis</i>	265.0	64.5%
<i>Culiseta inornata</i>	9.0	2.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	85.0	20.7%
<i>Anopheles</i>	13.0	3.2%
<i>Culex</i>	304.0	74.0%
<i>Culiseta</i>	9.0	2.2%
Other	0.0	0.0%



LV-074gr

Season: 05/01/2020 - 09/09/2020
 Trap Type: Gravid Trap
 Location: Jefferson And 11th Gravid
 GPS: 40.40359552411416, -105.07157519459726

Total number of trap/nights set: 12.0
 Total number of mosquitoes collected: 240.0
 Average mosquitoes per trap/night: 20.0
 Average Culex per trap/night: 20.0

Species collected and abundance:

<i>Culex pipiens</i>	240.0	100.0%
----------------------	-------	--------



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	0.0	0.0%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	240.0	100.0%
<i>Culiseta</i>	0.0	0.0%
Other	0.0	0.0%




LV-077

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 1105 East 1st Street
 GPS: 40.39301022332965, -105.06358388811348

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 152.0
 Average mosquitoes per trap/night: 11.7
 Average Culex per trap/night: 6.8

Species collected and abundance:

<i>Aedes dorsalis</i>	1.0	0.7%
<i>Aedes increpitus</i>	39.0	25.7%
<i>Aedes vexans</i>	11.0	7.2%
<i>Anopheles freeborni</i>	12.0	7.9%
<i>Culex pipiens</i>	5.0	3.3%
<i>Culex tarsalis</i>	83.0	54.6%
<i>Culiseta inornata</i>	1.0	0.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	51.0	33.6%
<i>Anopheles</i>	12.0	7.9%
<i>Culex</i>	88.0	57.9%
<i>Culiseta</i>	1.0	0.7%
Other	0.0	0.0%




LV-078

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 7 Lakes Park
 GPS: 40.416233812183386, -105.04508435726167

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 1,269.0
 Average mosquitoes per trap/night: 90.6
 Average Culex per trap/night: 25.7


Species collected and abundance:

<i>Aedes dorsalis</i>	3.0	0.2%
<i>Aedes increpitus</i>	196.0	15.4%
<i>Aedes melanimon</i>	1.0	0.1%
<i>Aedes vexans</i>	691.0	54.5%
<i>Anopheles freeborni</i>	2.0	0.2%
<i>Culex pipiens</i>	8.0	0.6%
<i>Culex tarsalis</i>	352.0	27.7%
<i>Culiseta inornata</i>	16.0	1.3%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	891.0	70.2%
<i>Anopheles</i>	2.0	0.2%
<i>Culex</i>	360.0	28.4%
<i>Culiseta</i>	16.0	1.3%
Other	0.0	0.0%




LV-079gr

Season: 05/01/2020 - 09/09/2020
 Trap Type: Gravid Trap
 Location: 7 Lakes Gravid
 GPS: 40.41661721767282, -105.04517421126366

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 220.0
 Average mosquitoes per trap/night: 15.7
 Average Culex per trap/night: 15.6


Species collected and abundance:

<i>Culex pipiens</i>	219.0	99.5%
<i>Culiseta inornata</i>	1.0	0.5%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	0.0	0.0%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	219.0	99.5%
<i>Culiseta</i>	1.0	0.5%
Other	0.0	0.0%




LV-080

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Harding and Reagan
 GPS: 40.43011568018885, -105.07529105991125

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 1,291.0
 Average mosquitoes per trap/night: 92.2
 Average Culex per trap/night: 36.4

Species collected and abundance:

<i>Aedes dorsalis</i>	5.0	0.4%
<i>Aedes increpitus</i>	101.0	7.8%
<i>Aedes melanimon</i>	3.0	0.2%
<i>Aedes trivittatus</i>	1.0	0.1%
<i>Aedes vexans</i>	661.0	51.2%
<i>Culex pipiens</i>	11.0	0.9%
<i>Culex tarsalis</i>	499.0	38.7%
<i>Culiseta inornata</i>	10.0	0.8%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	771.0	59.7%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	510.0	39.5%
<i>Culiseta</i>	10.0	0.8%
Other	0.0	0.0%




LV-087

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Derby Hill
 GPS: 40.36704867779329, -105.07370922714473

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 173.0
 Average mosquitoes per trap/night: 13.3
 Average Culex per trap/night: 9.3

Species collected and abundance:

<i>Aedes dorsalis</i>	2.0	1.2%
<i>Aedes increpitus</i>	8.0	4.6%
<i>Aedes melanimon</i>	1.0	0.6%
<i>Aedes vexans</i>	37.0	21.4%
<i>Anopheles freeborni</i>	3.0	1.7%
<i>Culex pipiens</i>	12.0	6.9%
<i>Culex tarsalis</i>	109.0	63.0%
<i>Culiseta inornata</i>	1.0	0.6%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	48.0	27.7%
<i>Anopheles</i>	3.0	1.7%
<i>Culex</i>	121.0	69.9%
<i>Culiseta</i>	1.0	0.6%
Other	0.0	0.0%




LV-088

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 2229 Arikaree
 GPS: 40.4152216826688, -105.05820102989674

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 210.0
 Average mosquitoes per trap/night: 15.0
 Average Culex per trap/night: 11.1


Species collected and abundance:

<i>Aedes increpitus</i>	10.0	4.8%
<i>Aedes melanimon</i>	1.0	0.5%
<i>Aedes vexans</i>	43.0	20.5%
<i>Culex pipiens</i>	6.0	2.9%
<i>Culex tarsalis</i>	150.0	71.4%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	54.0	25.7%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	156.0	74.3%
<i>Culiseta</i>	0.0	0.0%
Other	0.0	0.0%




LV-089

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 9th and Des Moines
 GPS: 40.40025059879596, -105.04239477217196

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 654.0
 Average mosquitoes per trap/night: 46.7
 Average Culex per trap/night: 35.1

Species collected and abundance:

<i>Aedes dorsalis</i>	1.0	0.2%
<i>Aedes increpitus</i>	35.0	5.4%
<i>Aedes melanimon</i>	2.0	0.3%
<i>Aedes vexans</i>	76.0	11.6%
<i>Anopheles freeborni</i>	26.0	4.0%
<i>Coquillettidia perturbans</i>	3.0	0.5%
<i>Culex pipiens</i>	32.0	4.9%
<i>Culex tarsalis</i>	460.0	70.3%
<i>Culiseta inornata</i>	19.0	2.9%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	114.0	17.4%
<i>Anopheles</i>	26.0	4.0%
<i>Culex</i>	492.0	75.2%
<i>Culiseta</i>	19.0	2.9%
Other	3.0	0.5%




LV-093

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Pond at Silver Lake
 GPS: 40.412257191527125, -105.06964769214393

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 426.0
 Average mosquitoes per trap/night: 30.4
 Average Culex per trap/night: 15.2


Species collected and abundance:

<i>Aedes dorsalis</i>	4.0	0.9%
<i>Aedes increpitus</i>	20.0	4.7%
<i>Aedes melanimon</i>	2.0	0.5%
<i>Aedes vexans</i>	183.0	43.0%
<i>Coquillettidia perturbans</i>	1.0	0.2%
<i>Culex pipiens</i>	14.0	3.3%
<i>Culex tarsalis</i>	199.0	46.7%
<i>Culiseta inornata</i>	3.0	0.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	209.0	49.1%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	213.0	50.0%
<i>Culiseta</i>	3.0	0.7%
Other	1.0	0.2%




LV-095

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Boyd Lake
 GPS: 40.44411792482543, -105.02216622233392

Total number of trap/nights set: 15.0
 Total number of mosquitoes collected: 507.0
 Average mosquitoes per trap/night: 33.8
 Average Culex per trap/night: 23.1

Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	2.0	0.4%
<i>Aedes melanimon</i>	1.0	0.2%
<i>Aedes vexans</i>	147.0	29.0%
<i>Culex pipiens</i>	13.0	2.6%
<i>Culex tarsalis</i>	334.0	65.9%
<i>Culiseta inornata</i>	10.0	2.0%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	150.0	29.6%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	347.0	68.4%
<i>Culiseta</i>	10.0	2.0%
Other	0.0	0.0%




LV-097

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Farasita at Rist Benson
 GPS: 40.412638577454516, -105.11603750288486

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 623.0
 Average mosquitoes per trap/night: 47.9
 Average Culex per trap/night: 19.8


Species collected and abundance:

Species	Number	Percent
<i>Aedes dorsalis</i>	2.0	0.3%
<i>Aedes increpitus</i>	7.0	1.1%
<i>Aedes melanimon</i>	1.0	0.2%
<i>Aedes vexans</i>	243.0	39.0%
<i>Anopheles freeborni</i>	95.0	15.2%
<i>Culex pipiens</i>	3.0	0.5%
<i>Culex tarsalis</i>	255.0	40.9%
<i>Culiseta inornata</i>	17.0	2.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	253.0	40.6%
<i>Anopheles</i>	95.0	15.2%
<i>Culex</i>	258.0	41.4%
<i>Culiseta</i>	17.0	2.7%
Other	0.0	0.0%




LV-098

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Benson Sculpture Park
 GPS: 40.42433259729429, -105.09424053132533

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 306.0
 Average mosquitoes per trap/night: 23.5
 Average Culex per trap/night: 14.1


Species collected and abundance:

<i>Aedes dorsalis</i>	5.0	1.6%
<i>Aedes increpitus</i>	27.0	8.8%
<i>Aedes vexans</i>	73.0	23.9%
<i>Anopheles freeborni</i>	16.0	5.2%
<i>Culex pipiens</i>	4.0	1.3%
<i>Culex tarsalis</i>	179.0	58.5%
<i>Culiseta inornata</i>	2.0	0.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	105.0	34.3%
<i>Anopheles</i>	16.0	5.2%
<i>Culex</i>	183.0	59.8%
<i>Culiseta</i>	2.0	0.7%
Other	0.0	0.0%



■ *Aedes-Oc*
 ■ *Anopheles*
 ■ *Culex*
 ■ *Culiseta*
 ■ Other


LV-099

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Cattails Golfcourse
 GPS: 40.42106195817818, -105.10683551430702

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 100.0
 Average mosquitoes per trap/night: 7.7
 Average Culex per trap/night: 4.8


Species collected and abundance:

<i>Aedes dorsalis</i>	1.0	1.0%
<i>Aedes melanimon</i>	2.0	2.0%
<i>Aedes vexans</i>	32.0	32.0%
<i>Culex tarsalis</i>	62.0	62.0%
<i>Culiseta inornata</i>	3.0	3.0%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	35.0	35.0%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	62.0	62.0%
<i>Culiseta</i>	3.0	3.0%
Other	0.0	0.0%



■ *Aedes-Oc*
 ■ *Anopheles*
 ■ *Culex*
 ■ *Culiseta*
 ■ Other


LV-100

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Blue Tree Reaky
 GPS: 40.40416308024715, -105.08858542889357

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 200.0
 Average mosquitoes per trap/night: 15.4
 Average Culex per trap/night: 9.8

Species collected and abundance:

<i>Aedes increpitus</i>	4.0	2.0%
<i>Aedes spp.</i>	2.0	1.0%
<i>Aedes trivittatus</i>	1.0	0.5%
<i>Aedes vexans</i>	63.0	31.5%
<i>Culex pipiens</i>	5.0	2.5%
<i>Culex tarsalis</i>	122.0	61.0%
<i>Culiseta inornata</i>	3.0	1.5%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	70.0	35.0%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	127.0	63.5%
<i>Culiseta</i>	3.0	1.5%
Other	0.0	0.0%




LV-102

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Glen Isle Ditch
 GPS: 40.434477356135105, -105.10449562221766

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 144.0
 Average mosquitoes per trap/night: 11.1
 Average Culex per trap/night: 6.9

Species collected and abundance:

<i>Aedes dorsalis</i>	2.0	1.4%
<i>Aedes vexans</i>	35.0	24.3%
<i>Anopheles freeborni</i>	8.0	5.6%
<i>Coquillettidia perturbans</i>	1.0	0.7%
<i>Culex pipiens</i>	6.0	4.2%
<i>Culex tarsalis</i>	84.0	58.3%
<i>Culiseta inornata</i>	8.0	5.6%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	37.0	25.7%
<i>Anopheles</i>	8.0	5.6%
<i>Culex</i>	90.0	62.5%
<i>Culiseta</i>	8.0	5.6%
Other	1.0	0.7%




LV-104

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Cr 20 and 9
 GPS: 40.396853673772625, -105.02091463655233

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 760.0
 Average mosquitoes per trap/night: 54.3
 Average Culex per trap/night: 26.7


Species collected and abundance:

<i>Aedes dorsalis</i>	1.0	0.1%
<i>Aedes increpitus</i>	103.0	13.6%
<i>Aedes vexans</i>	94.0	12.4%
<i>Anopheles freeborni</i>	141.0	18.6%
<i>Coquillettia perturbans</i>	11.0	1.4%
<i>Culex pipiens</i>	56.0	7.4%
<i>Culex tarsalis</i>	318.0	41.8%
<i>Culiseta inornata</i>	36.0	4.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	198.0	26.1%
<i>Anopheles</i>	141.0	18.6%
<i>Culex</i>	374.0	49.2%
<i>Culiseta</i>	36.0	4.7%
Other	11.0	1.4%



Legend:
 Aedes-Oc
 Anopheles
 Culex
 Culiseta
 Other


LV-105

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: West 43rd Railroad
 GPS: 40.43646427356604, -105.08395995944738

Total number of trap/nights set: 12.0
 Total number of mosquitoes collected: 451.0
 Average mosquitoes per trap/night: 37.6
 Average Culex per trap/night: 31.7

Species collected and abundance:

<i>Aedes increpitus</i>	4.0	0.9%
<i>Aedes melanimon</i>	1.0	0.2%
<i>Aedes vexans</i>	64.0	14.2%
<i>Anopheles freeborni</i>	1.0	0.2%
<i>Culex pipiens</i>	11.0	2.4%
<i>Culex tarsalis</i>	369.0	81.8%
<i>Culiseta inornata</i>	1.0	0.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	69.0	15.3%
<i>Anopheles</i>	1.0	0.2%
<i>Culex</i>	380.0	84.3%
<i>Culiseta</i>	1.0	0.2%
Other	0.0	0.0%



Legend:
 Aedes-Oc
 Anopheles
 Culex
 Culiseta
 Other


LV-110

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Big Thompson
 GPS: 40.40076405473678, -105.1226806640625

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 383.0
 Average mosquitoes per trap/night: 27.4
 Average Culex per trap/night: 3.9

Species collected and abundance:

<i>Aedes increpitus</i>	23.0	6.0%
<i>Aedes melanimon</i>	1.0	0.3%
<i>Aedes spp.</i>	3.0	0.8%
<i>Aedes vexans</i>	255.0	66.6%
<i>Anopheles earlei</i>	2.0	0.5%
<i>Anopheles freeborni</i>	39.0	10.2%
<i>Coquillettidia perturbans</i>	2.0	0.5%
<i>Culex pipiens</i>	3.0	0.8%
<i>Culex tarsalis</i>	52.0	13.6%
<i>Culiseta inornata</i>	3.0	0.8%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	282.0	73.6%
<i>Anopheles</i>	41.0	10.7%
<i>Culex</i>	55.0	14.4%
<i>Culiseta</i>	3.0	0.8%
Other	2.0	0.5%




LV-112

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 915 S Boise
 GPS: 40.387276302691916, -105.05445063114165

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 253.0
 Average mosquitoes per trap/night: 19.5
 Average Culex per trap/night: 12.5

Species collected and abundance:

<i>Aedes increpitus</i>	54.0	21.3%
<i>Aedes vexans</i>	7.0	2.8%
<i>Anopheles freeborni</i>	26.0	10.3%
<i>Culex pipiens</i>	46.0	18.2%
<i>Culex tarsalis</i>	116.0	45.8%
<i>Culiseta inornata</i>	4.0	1.6%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	61.0	24.1%
<i>Anopheles</i>	26.0	10.3%
<i>Culex</i>	162.0	64.0%
<i>Culiseta</i>	4.0	1.6%
Other	0.0	0.0%




LV-113

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Springs at Marianna
 GPS: 40.38954347369378, -105.15629343688488

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 986.0
 Average mosquitoes per trap/night: 75.8
 Average Culex per trap/night: 5.7


Species collected and abundance:

<i>Aedes fitchii</i>	1.0	0.1%
<i>Aedes increpitus</i>	53.0	5.4%
<i>Aedes melanimon</i>	8.0	0.8%
<i>Aedes spp.</i>	1.0	0.1%
<i>Aedes trivittatus</i>	3.0	0.3%
<i>Aedes vexans</i>	836.0	84.8%
<i>Anopheles freeborni</i>	8.0	0.8%
<i>Culex pipiens</i>	4.0	0.4%
<i>Culex tarsalis</i>	70.0	7.1%
<i>Culiseta inornata</i>	2.0	0.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	902.0	91.5%
<i>Anopheles</i>	8.0	0.8%
<i>Culex</i>	74.0	7.5%
<i>Culiseta</i>	2.0	0.2%
Other	0.0	0.0%




LV-114

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Drive Pond
 GPS: 40.37876032291135, -105.11991195380688

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 578.0
 Average mosquitoes per trap/night: 44.5
 Average Culex per trap/night: 14.9

Species collected and abundance:

<i>Aedes dorsalis</i>	9.0	1.6%
<i>Aedes increpitus</i>	78.0	13.5%
<i>Aedes spp.</i>	4.0	0.7%
<i>Aedes vexans</i>	279.0	48.3%
<i>Anopheles freeborni</i>	9.0	1.6%
<i>Culex pipiens</i>	10.0	1.7%
<i>Culex tarsalis</i>	184.0	31.8%
<i>Culiseta inornata</i>	5.0	0.9%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	370.0	64.0%
<i>Anopheles</i>	9.0	1.6%
<i>Culex</i>	194.0	33.6%
<i>Culiseta</i>	5.0	0.9%
Other	0.0	0.0%




LV-116

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Sundisk and 13E
 GPS: 40.43892602007788, -105.06844572722912

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 341.0
 Average mosquitoes per trap/night: 24.4
 Average Culex per trap/night: 11.4


Species collected and abundance:

<i>Aedes dorsalis</i>	3.0	0.9%
<i>Aedes increpitus</i>	16.0	4.7%
<i>Aedes melanimon</i>	2.0	0.6%
<i>Aedes spp.</i>	1.0	0.3%
<i>Aedes vexans</i>	155.0	45.5%
<i>Culex pipiens</i>	10.0	2.9%
<i>Culex tarsalis</i>	150.0	44.0%
<i>Culiseta inornata</i>	4.0	1.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	177.0	51.9%
<i>Anopheles</i>	0.0	0.0%
<i>Culex</i>	160.0	46.9%
<i>Culiseta</i>	4.0	1.2%
Other	0.0	0.0%



■ *Aedes-Oc*
 ■ *Anopheles*
 ■ *Culex*
 ■ *Culiseta*
 ■ Other


LV-117

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Centerra
 GPS: 40.41227786913283, -104.98941913247107

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 371.0
 Average mosquitoes per trap/night: 26.5
 Average Culex per trap/night: 14.4


Species collected and abundance:

<i>Aedes hendersoni</i>	1.0	0.3%
<i>Aedes increpitus</i>	3.0	0.8%
<i>Aedes vexans</i>	124.0	33.4%
<i>Anopheles freeborni</i>	3.0	0.8%
<i>Coquillettia perturbans</i>	10.0	2.7%
<i>Culex pipiens</i>	40.0	10.8%
<i>Culex tarsalis</i>	162.0	43.7%
<i>Culiseta inornata</i>	28.0	7.5%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	128.0	34.5%
<i>Anopheles</i>	3.0	0.8%
<i>Culex</i>	202.0	54.4%
<i>Culiseta</i>	28.0	7.5%
Other	10.0	2.7%



■ *Aedes-Oc*
 ■ *Anopheles*
 ■ *Culex*
 ■ *Culiseta*
 ■ Other


LV-118

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Golf Vista
 GPS: 40.4008804817948, -105.1369808614254

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 298.0
 Average mosquitoes per trap/night: 22.9
 Average Culex per trap/night: 10.3


Species collected and abundance:

<i>Aedes dorsalis</i>	5.0	1.7%
<i>Aedes increpitus</i>	12.0	4.0%
<i>Aedes melanimon</i>	1.0	0.3%
<i>Aedes vexans</i>	129.0	43.3%
<i>Anopheles freeborni</i>	6.0	2.0%
<i>Coquillettidia perturbans</i>	4.0	1.3%
<i>Culex pipiens</i>	7.0	2.3%
<i>Culex tarsalis</i>	127.0	42.6%
<i>Culiseta inornata</i>	7.0	2.3%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	147.0	49.3%
<i>Anopheles</i>	6.0	2.0%
<i>Culex</i>	134.0	45.0%
<i>Culiseta</i>	7.0	2.3%
Other	4.0	1.3%




LV-120

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: End of City Limits North
 GPS: 40.36399571921856, -105.1029959321022

Total number of trap/nights set: 14.0
 Total number of mosquitoes collected: 421.0
 Average mosquitoes per trap/night: 30.1
 Average Culex per trap/night: 11.9


Species collected and abundance:

<i>Aedes dorsalis</i>	128.0	30.4%
<i>Aedes increpitus</i>	3.0	0.7%
<i>Aedes melanimon</i>	10.0	2.4%
<i>Aedes vexans</i>	104.0	24.7%
<i>Anopheles freeborni</i>	4.0	1.0%
<i>Coquillettidia perturbans</i>	1.0	0.2%
<i>Culex pipiens</i>	7.0	1.7%
<i>Culex tarsalis</i>	159.0	37.8%
<i>Culiseta inornata</i>	5.0	1.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	245.0	58.2%
<i>Anopheles</i>	4.0	1.0%
<i>Culex</i>	166.0	39.4%
<i>Culiseta</i>	5.0	1.2%
Other	1.0	0.2%




LV-121

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Bayfield and Windsor
 GPS: 40.42641016433367, -105.1226394250989

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 96.0
 Average mosquitoes per trap/night: 7.4
 Average Culex per trap/night: 4.9

Species collected and abundance:

<i>Aedes increpitus</i>	1.0	1.0%
<i>Aedes vexans</i>	17.0	17.7%
<i>Anopheles freeborni</i>	13.0	13.5%
<i>Culex pipiens</i>	5.0	5.2%
<i>Culex tarsalis</i>	59.0	61.5%
<i>Culiseta inornata</i>	1.0	1.0%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	18.0	18.8%
<i>Anopheles</i>	13.0	13.5%
<i>Culex</i>	64.0	66.7%
<i>Culiseta</i>	1.0	1.0%
Other	0.0	0.0%




LV-122

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Fallgoki
 GPS: 40.445385283743896, -105.09134709835052

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 193.0
 Average mosquitoes per trap/night: 14.8
 Average Culex per trap/night: 10.6


Species collected and abundance:

<i>Aedes increpitus</i>	2.0	1.0%
<i>Aedes trivittatus</i>	1.0	0.5%
<i>Aedes vexans</i>	40.0	20.7%
<i>Anopheles freeborni</i>	3.0	1.6%
<i>Culex pipiens</i>	6.0	3.1%
<i>Culex tarsalis</i>	132.0	68.4%
<i>Culiseta inornata</i>	9.0	4.7%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	43.0	22.3%
<i>Anopheles</i>	3.0	1.6%
<i>Culex</i>	138.0	71.5%
<i>Culiseta</i>	9.0	4.7%
Other	0.0	0.0%




LV-124

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: Storage Yard and 2nd St
 GPS: 40.38874162198125, -105.07815565913916

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 186.0
 Average mosquitoes per trap/night: 14.3
 Average Culex per trap/night: 4.6


Species collected and abundance:

<i>Aedes dorsalis</i>	2.0	1.1%
<i>Aedes increpitus</i>	56.0	30.1%
<i>Aedes trivittatus</i>	1.0	0.5%
<i>Aedes vexans</i>	60.0	32.3%
<i>Anopheles freeborni</i>	6.0	3.2%
<i>Coquillettidia perturbans</i>	1.0	0.5%
<i>Culex pipiens</i>	2.0	1.1%
<i>Culex tarsalis</i>	58.0	31.2%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	119.0	64.0%
<i>Anopheles</i>	6.0	3.2%
<i>Culex</i>	60.0	32.3%
<i>Culiseta</i>	0.0	0.0%
Other	1.0	0.5%




LV-125

Season: 05/01/2020 - 09/09/2020
 Trap Type: CDC Light Trap
 Location: 8th And No Name
 GPS: 40.400120893741814, -105.10212253779173

Total number of trap/nights set: 13.0
 Total number of mosquitoes collected: 1,213.0
 Average mosquitoes per trap/night: 93.3
 Average Culex per trap/night: 29.8


Species collected and abundance:

<i>Aedes increpitus</i>	526.0	43.4%
<i>Aedes melanimon</i>	3.0	0.2%
<i>Aedes vexans</i>	211.0	17.4%
<i>Anopheles freeborni</i>	14.0	1.2%
<i>Coquillettidia perturbans</i>	7.0	0.6%
<i>Culex pipiens</i>	60.0	4.9%
<i>Culex tarsalis</i>	328.0	27.0%
<i>Culiseta inornata</i>	64.0	5.3%



Genus Proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	740.0	61.0%
<i>Anopheles</i>	14.0	1.2%
<i>Culex</i>	388.0	32.0%
<i>Culiseta</i>	64.0	5.3%
Other	7.0	0.6%



Appendix 2: Larimer County Adult Sample Pool Positive Results and Locations



2020 WNV Positive Pools

Start Date: 05/01/2020 **End Date:** 09/09/2020

Berthoud

Trap Location	Total Positive Pools
Berthoud East	1
Berthoud North	0
Berthoud Park	0
Berthoud Point	0
Berthoud West	1

Total Positive: 2




2020 WNV Positive Pools

Start Date: 05/01/2020 **End Date:** 09/09/2020

Loveland

Trap Location	Total Positive Pools
9th and DesMoines	0
Big Thompson	0
Boyd Lake	1
Cattail Pond	2
Cr 20 and 9	0
Horseshoe Penninsula	0

Total Positive: 3



2020 WNV Positive Pools

Start Date: 05/01/2020 End Date: 09/09/2020

Fort Collins

Trap Location	Total Positive Pools
118 S Grant	0
3001 San Luis	4
422 Lake Dr	0
5029 Crest Dr	0
603 Gilgalad Way	0
737 Parliament	1
808 Ponderosa	0
Ben's Park	0
Ben's Park Gravid	2
Big Horn	2
Boltz	0
Casa Grande and Downing	1
Chelsea Ridge	1
Country Club	0
Edora Park	0
Egret and Rookery	2
English Ranch Park Gravid	6
FC Visitors Center	0
Fishback	0
Fossil Creek South	1
Golden Current	0
Golden Meadows Ditch	0
Hemlock	0
Holley Plant Research Center	0
Keeneland And Twin Oak	0
Kunz Ct. and Brook Dr. Gravid	2
Linden Lake Rd	0

Trap Location	Total Positive Pools
Lochside Lane	0
Lopez Elementary	0
Magic Carpet	1
Mountain Grandview Cemetery Gravid	0
N. Linden	0
Poudre River Trail	0
Prospect Ponds	0
Prospect Ponds Gravid	2
PVH Gravid	0
Red Fox Meadows	0
Red Fox Meadows Gravid	1
Redwood	0
Redwood Gravid	1
Registry Ridge	0
Rock Creek	0
Sage Creek North	0
Sage Creek North Gravid	4
Silvergate Rd	0
Spring Creek Trail-- Michener Dr	0
Springwood and Lochwood	1
Stuart and Dorset	0
Udall Natural Gravid	0
Water's Edge at Blue Mesa	0
West Chase	0
Westshore Ct	1
Willow Springs	0

Total Positive: 33

Appendix 3: Ground Adult Mosquito Control Application Data



Ground Adulticide Applications

Start Date: 05/01/2020 End Date: 09/09/2020

Loveland

Month	Date	Municipality	Chemical	Mix Ratio	Trip Miles	Spray Miles	Spray Acres	Gallons Sprayed	
LV-02S Spray Zone Applications									
July 2020	07/09/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	14.5	10.3	372.7	2.9	
							<i>Total Aqua Kontrol 30-30 Applied:</i>		2.9
LV-02S Spray Zone Totals:					14.5	10.3	372.7	2.9	
LV-03 Spray Zone Applications									
July 2020	07/23/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.4	5.6	205.1	1.6	
	07/31/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.7	6.0	218.2	1.7	
August 2020	08/07/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.7	6.7	244.0	1.9	
							<i>Total Aqua Kontrol 30-30 Applied:</i>		5.1
LV-03 Spray Zone Totals:					23.8	18.4	667.2	5.1	
LV-04 Spray Zone Applications									
August 2020	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.2	8.4	304.7	2.4	
							<i>Total Aqua Kontrol 30-30 Applied:</i>		2.4
LV-04 Spray Zone Totals:					11.2	8.4	304.7	2.4	
LV-07 Spray Zone Applications									
June 2020	06/15/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.4	8.0	292.0	2.3	
July 2020	07/06/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.7	8.1	294.9	2.3	
	07/13/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.7	8.0	291.6	2.3	
	07/20/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.0	8.4	306.2	2.4	
	07/27/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.1	7.4	267.3	2.1	
August 2020	08/03/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.4	7.5	273.8	2.1	
	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.4	8.7	315.2	2.4	
							<i>Total Aqua Kontrol 30-30 Applied:</i>		15.7
LV-07 Spray Zone Totals:					74.6	56.1	2,040.9	15.7	

Month	Date	Municipality	Chemical	Mix Ratio	Trip Miles	Spray Miles	Spray Acres	Gallons Sprayed
LV-08 Spray Zone Applications								
June 2020	06/15/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	6.7	6.4	231.3	1.8
August 2020	08/17/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.6	6.9	249.4	1.9
<i>Total Aqua Kontrol 30-30 Applied:</i>								3.7
LV-08 Spray Zone Totals:					14.3	13.2	480.7	3.7
LV-09 Spray Zone Applications								
June 2020	06/11/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	13.0	9.8	356.3	2.7
July 2020	07/02/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	13.1	9.9	358.2	2.7
August 2020	08/14/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	13.9	10.4	379.6	2.9
<i>Total Aqua Kontrol 30-30 Applied:</i>								8.4
LV-09 Spray Zone Totals:					40.1	30.1	1,094.1	8.4
LV-13N Spray Zone Applications								
July 2020	07/06/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.4	5.8	210.5	1.6
	07/14/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.1	6.2	223.6	1.7
August 2020	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.2	6.0	217.1	1.7
<i>Total Aqua Kontrol 30-30 Applied:</i>								5.0
LV-13N Spray Zone Totals:					23.7	17.9	651.2	5.0
LV-14E Spray Zone Applications								
June 2020	06/15/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.3	5.8	209.8	1.6
	06/22/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.0	5.6	204.3	1.6
July 2020	07/06/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.0	5.7	208.7	1.6
	07/20/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.9	5.7	205.8	1.6
	07/27/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	7.4	5.3	191.3	1.5
August 2020	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.4	6.0	217.8	1.7
<i>Total Aqua Kontrol 30-30 Applied:</i>								9.5
LV-14E Spray Zone Totals:					47.9	34.0	1,237.7	9.5

Month	Date	Municipality	Chemical	Mix Ratio	Trip Miles	Spray Miles	Spray Acres	Gallons Sprayed
LV-14W Spray Zone Applications								
July 2020	07/27/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	6.0	4.1	149.8	1.2
<i>Total Aqua Kontrol 30-30 Applied:</i>								1.2
LV-14W Spray Zone Totals:					6.0	4.1	149.8	1.2
LV-15 Spray Zone Applications								
June 2020	06/23/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	5.0	3.5	126.2	1.0
<i>Total Aqua Kontrol 30-30 Applied:</i>								1.0
LV-15 Spray Zone Totals:					5.0	3.5	126.2	1.0
LV-16 Spray Zone Applications								
June 2020	06/02/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.1	6.9	251.3	1.9
	06/16/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.0	6.8	248.7	1.9
July 2020	07/21/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.1	7.0	256.0	2.0
	07/28/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.5	7.0	255.6	2.0
August 2020	08/04/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.2	7.3	264.7	2.0
	08/11/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.4	7.2	260.7	2.0
<i>Total Aqua Kontrol 30-30 Applied:</i>								11.8
LV-16 Spray Zone Totals:					55.3	42.3	1,536.9	11.8
LV-18N Spray Zone Applications								
July 2020	07/14/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.3	7.7	281.4	2.2
<i>Total Aqua Kontrol 30-30 Applied:</i>								2.2
LV-18N Spray Zone Totals:					10.3	7.7	281.4	2.2
LV-19N Spray Zone Applications								
June 2020	06/30/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	0.0	7.5	273.8	2.1
July 2020	07/07/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.0	6.7	244.7	1.9
	07/14/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.3	7.5	272.3	2.1
	07/28/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.1	7.9	288.7	2.2
<i>Total Aqua Kontrol 30-30 Applied:</i>								8.3
LV-19N Spray Zone Totals:					30.4	29.7	1,079.5	8.3

Month	Date	Municipality	Chemical	Mix Ratio	Trip Miles	Spray Miles	Spray Acres	Gallons Sprayed
LV-19S Spray Zone Applications								
June 2020	06/02/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	14.3	11.3	410.9	3.2
July 2020	07/21/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	17.6	13.7	498.9	3.9
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>7.0</i>
LV-19S Spray Zone Totals:					32.0	25.0	909.7	7.0
LV-20 Spray Zone Applications								
July 2020	07/21/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	16.1	12.0	436.7	3.4
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>3.4</i>
LV-20 Spray Zone Totals:					16.1	12.0	436.7	3.4
LV-22 Spray Zone Applications								
June 2020	06/02/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	2.6	1.8	66.2	0.5
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>0.5</i>
LV-22 Spray Zone Totals:					2.6	1.8	66.2	0.5
LV-23 Spray Zone Applications								
June 2020	06/03/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.2	8.5	310.5	2.4
July 2020	07/08/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.1	8.9	324.3	2.5
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>4.9</i>
LV-23 Spray Zone Totals:					23.3	17.5	634.8	4.9
LV-24N Spray Zone Applications								
June 2020	06/03/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.1	8.4	304.3	2.4
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>2.4</i>
LV-24N Spray Zone Totals:					12.1	8.4	304.3	2.4
LV-26 Spray Zone Applications								
June 2020	06/03/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.0	8.9	324.0	2.5
	06/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.8	8.4	305.1	2.4
	06/17/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.9	9.3	337.4	2.6
July 2020	07/08/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.3	9.4	340.3	2.6

Month	Date	Municipality	Chemical	Mix Ratio	Trip Miles	Spray Miles	Spray Acres	Gallons Sprayed
August 2020	07/22/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.3	9.4	342.5	2.7
	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.3	9.3	339.6	2.6
	08/19/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	12.2	9.4	341.8	2.6
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>18.0</i>
LV-26 Spray Zone Totals:					82.7	64.1	2,330.7	18.0
LV-31 Spray Zone Applications								
July 2020	07/06/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.1	7.6	275.6	2.1
	07/13/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.9	8.0	290.2	2.2
	07/20/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.7	8.5	309.1	2.4
	07/27/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	10.8	8.3	303.2	2.3
August 2020	08/10/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.1	8.5	310.5	2.4
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>11.4</i>
LV-31 Spray Zone Totals:					51.5	40.9	1,488.6	11.4
LV-33 Spray Zone Applications								
June 2020	06/01/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	24.3	18.9	685.8	5.3
July 2020	07/13/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	25.2	19.7	714.5	5.5
	07/27/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	26.2	20.2	735.2	5.6
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>16.4</i>
LV-33 Spray Zone Totals:					75.7	58.7	2,135.4	16.4
LV-34 Spray Zone Applications								
June 2020	06/29/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	8.4	7.4	270.2	2.1
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>2.1</i>
LV-34 Spray Zone Totals:					8.4	7.4	270.2	2.1
LV-36 Spray Zone Applications								
June 2020	06/02/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.2	9.0	327.2	2.5
July 2020	07/07/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	9.6	8.1	294.2	2.2
August 2020	08/18/2020	N/A	Aqua Kontrol 30-30 (73748-11)	1:5	11.5	9.6	347.6	2.7
<i>Total Aqua Kontrol 30-30 Applied:</i>								<i>7.4</i>
LV-36 Spray Zone Totals:					32.3	26.7	969.0	7.4
Grand Totals:					693.6	538.2	19,568.6	150.7